

















Stove and fireplace cleaning, maintenance and hearth accessories



# A Warm Welcome...

Stovax is a British company dedicated to the development of high quality stoves, fireplaces, flue systems and associated accessories. Over the past 34 years, Stovax has grown to become one of Europe's largest and most respected stove and fireplace manufacturers, constantly building on a reputation for superior craftsmanship, high quality materials, designer-led aesthetics and technical innovation.



# A lifetime of looking good

Stovax stoves and fireplaces have been intrinsically designed to require very little maintenance. However, when there are things to be done, we have an extensive selection of accessories that can make short work of the task.

We also have a range of products available that you may wish to consider alongside your original purchase such as our magnetic flue pipe thermometer and our carbon monoxide detector.







# Perfect companions

Throughout these pages, you will discover the widest possible selection of top quality products. Whether it's log holders, fire tool sets or fire screens, our hearth accessories are designed to help you get maximum enjoyment from your fireplace or stove. Whether you have a taste of the contemporary or your décor lies more with the traditional, we have ranges to complement both your fire and your home.



# Looking after you and your stove...

A Stovax woodburning or multi-fuel appliance promises years of faithful service, a promise backed up by our extended five year warranty available across all our stoves and fires when purchased from a member of our Expert Retailer Network and registered with Stovax. We take great care to ensure that our stoves and fireplaces are designed, tested and manufactured to the highest possible quality and safety standards, and we are just as concerned to make certain that they are sold and installed correctly so that you enjoy years of pleasure from your purchase.

Our extensive design team and industry leading research and development laboratory ensure that Stovax products are at the very pinnacle of both aesthetic design and fireplace technology; offering one of the largest and most trusted ranges of

environmentally friendly, high efficiency stoves and fires available anywhere in the world. We pursue a programme of continuous product improvement, with our focus always on developing heating products that contribute to a cleaner, healthier environment. In fact, Stovax is



ahead of schedule in its compliance with the European Ecodesign Directive.

Whether you own a Stovax appliance or any other brand, it is important that you follow any servicing and general maintenance recommendations carefully to ensure your stove or fire continues to operate effectively and efficiently, indeed in many cases this will form part of your warranty agreement.

# Performance with peace of mind

We would always encourage you, where possible, to consider opting for a Stovax high efficiency glass-fronted stove or fire in your home. Whether woodburning or multifuel, these appliances offer greatly improved efficiency through state-of-the-art air flow systems and innovative features such as cleanburn and airwash that dramatically reduce emissions, maximise the heat delivery into your room and help keep the window clean so you can always enjoy the flames to the full.

Whatever your fuel type, Stovax offer a wide range of cleaning and maintenance products that have been specifically designed to help keep your product looking and performing at its best.





# The Stovax accessories range

Cleaning and maintenance06 - 15
Chimney systems and flue pipe16 - 17
UltraGlo ceramic fibre 'fuels'18 - 19
Fire screens and fenders20 - 25
Traditional fire tools and sets26 - 28
Contemporary fire tools and sets29
Ironworks and Pilgrim fire tools30 - 33
Log holders34 - 35
Scuttles and pails36
Fire backs and grates37 - 41
Tile packages42 - 43

# Cleaning and maintenance products

#### Thermolac Stove Paint







Metallic Metallic

Brown



Metallic

Black



Cast Grey



Storm Metallic





Black



Blue



Green

Matt White

Matt Ivory

Anthracite

Suitable for	Serial Numbers	Colour	Size	Qty	Product Code
AEROSOL PAINT					
Brunel Stoves	All	Matt Black	400ml	1	2010
Dovre Stoves (250, 425, 500, 640, 700, 760, Tai & Sense)	All	Matt Black	400ml	1	DV-LAKTBZ
Dovre Stoves (225, 525, Vintage & Astroline)	All	Anthracite	400ml	1	DV-LAKTB
Elise Cassette Fires	All	Metallic Black	150ml	1	RVAC011
Huntingdon Stoves	All	Matt Black	400ml	1	2010
Huntingdon Stoves	All	Matt Ivory	150ml	1	2055
Lotus Stoves	All	Metallic Black	400ml	1	LT-9750PAINT
Lotus Stoves	All	Light Cast Grey	400ml	1	LT-9755PAINT
Nordpeis Uno and Duo Stoves	All	Metallic Black	150ml	1	NP-00001-102
Nordpeis Uno and Duo Stoves	All	Metallic Black	400ml	1	NP-00001-102-400
Nordpeis Stoves (excluding Uno and Duo)	All	Black	150ml	1	NP-00001-105
Regency Stoves	All	Matt Black	400ml	12	2019
Regency Stoves	All	Matt Black	400ml	6	2019-6
Riva Cassette Fires	All	Metallic Black	150ml	1	RVAC011
Riva Cassette Fires	All	Storm Metallic	150ml	1	RVAC010
Riva Plus Stoves	All	Matt Black	400ml	12	2019
Riva Plus Stoves	All	Matt Black	400ml	6	2019-6
Riva Vision Stoves	All	Metallic Black	150ml	1	RVAC011
Sheraton Stoves	All	Matt Black	400ml	12	2019
Sheraton Stoves	All	Matt Black	400ml	6	2019-6
Stockton Stoves	All	Matt Black	400ml	12	2019
Stockton Stoves	All	Matt Black	400ml	6	2019-6
Stockton Stoves	All	Metallic Blue	400ml	6	2019BL
Stockton Stoves	All	Metallic Brown	400ml	6	2019BR
Stockton Stoves	All	Metallic Green	400ml	6	2019GR
Studio 1 and 2 Fires	All	Metallic Black	150ml	1	RVAC011
Studio 500 and 3 Fires	All	Metallic Black	150ml	1	RVAC011
Yeoman Traditional Stoves	All	Matt Black	400ml	12	2019
Yeoman Traditional Stoves	All	Matt Black	400ml	6	2019-6
Yeoman Traditional Stoves	All	Metallic Blue	400ml	6	2019BL
Yeoman Traditional Stoves	All	Metallic Brown	400ml	6	2019BR
Yeoman Traditional Stoves	All	Metallic Green	400ml	6	2019GR
Yeoman CL Stoves	From CCL05000°	Metallic Black	400ml	1	2000-1
Varde Stoves	All	Metallic Black	400ml	1	LT-9750PAINT
Varde Stoves	All	Light Cast Grey	400ml	1	LT-9755PAINT
View Stoves	Starting CVW*	Metallic Black	400ml	1	2000-1
Vogue Stoves	All	Matt Black	400ml	1	2010
BRUSH-ON PAINT					

 $<sup>^{\</sup>diamond}$  If Yeoman CL serial number is between CCL00001 and CCL04999 contact Customer Services for details \* If View Stove serial number starts FVW contact Customer Services for details.

#### Enamel Repair Touch Up Paint



Midnight Blue Enamel



Green Enamel



Ivory Enamel

Alpina

White



Phantom Id



Ice White Metallic Enamel



Grey

Enamel



Gloss Black Enamel



Pure White Majolica
Enamel Brown
Enamel

2 11 6	0 : 1 1 1		01	D 1 10 1
Suitable for	Serial Numbers	Colour	Qty	Product Code
Brunel & Huntingdon Stoves	All	Ivory Enamel	1	PAINTIV
Brunel & Huntingdon Stoves	All	Laurel Green Enamel	1	PAINTLG
Brunel & Huntingdon Stoves	All	Midnight Blue Enamel	1	PAINTBL
Dovre 250, 280 and 425 Stoves	All	Ivory Enamel	1	DV-PAINT/E2
Dovre 250, 280 and 425 Stoves	All	Laurel Green Enamel	1	DV-PAINT/E3
Dovre 250, 280 and 425 Stoves	All	Black Enamel	1	DV-PAINT/E4
Dovre 250, 280 and 425 Stoves	All	Midnight Blue Enamel	1	DV-PAINT/E5
Dovre 250, 280 and 425 Stoves	All	Majolica Brown Enamel	1	DV-PAINT/E6
Dovre Sense Stoves	All	Gloss Black Enamel	1	DV-PAINT/E10
Dovre Sense Stoves	All	Pure White Enamel	1	DV-PAINT/E12
Dovre Vintage Stoves	All	White Enamel	1	DV-PAINT/E8
Dovre Vintage & Sense Stoves	All	Grey Enamel	1	DV-PAINT/E14
Lotus Living Stoves	All	Phantom Grey	1	LT-9761PAINT
Lotus Living Stoves	All	Ice Metallic	1	LT-9762PAINT
Lotus Living Stoves	All	Alpina White	1	LT-9763PAINT

#### Traditional Black Grate Polish

Wax-based graphite polish, giving a brilliant silver-black finish to cast iron stoves and fireplaces.





After

Before

Product Code	Size and Quantity
4110-12	75ml x 12
4110-6	75ml x 6

#### Colloidal Black Stove Dressing

Water-based graphite coating for matt black stoves and fireplaces.



Product Code	Size and Quantity
7000-6	85ml x 6

# Cleaning and maintenance products

#### Slate Dressing



Code	Size & Quantity
4100 G	500ml v 6

Fire Cement-500g & 5kg tub

Black. Fire resistant up to 1250°C



Code	Size & Quantity
2020	500g x 12
2020-6	500g x 6
2024	5kg x 1

#### Limestone Cleaner Spray



Code	Size & Quantity
5034-6	500ml v 6

Fire Cement - 600g Cartridge



Code	Size & Quantity
2021-6	600g x 6
2021	600g x 12

#### Stove Glass Cleaner Spray

Suitable for all stove glass.



Code	Size & Quantity
4103-6	500ml x 6

#### Protector - 1kg tub

Reduces the build-up of creosote in chimneys caused by burning wood. Reduces the risk of chimney fires



Code	Size & Quantity
7025	1kg x 6
7025-1	1kg x 1

#### Stove Glass Cleaner - Wipe-On

Please Note: Not to be used on printed glass.



Code	Size & Quantity
4111-6	500ml x 6

Protector - Sachets



Code	Size & Quantity
7002-6	Pack (15 sachets) x 6



How to clean your stove or fire glass video

To help keep your appliance looking and performing at its best, we have created a series of useful videos to guide you through a range of topics from general advice, such as how to identify good firewood, to more specific tasks such as our useful glass cleaning video. Please visit our dedicated site, www.stovax.tv and enter the video code V0001.

**Top tip:** If your stove glass is printed, be sure to select the spray cleaner and not the wipe-on!



#### Shovel



Code	Size
4054	102mm (4")
4055	127mm (5")

Brush Head



Code	Size & Quantity
4041	50mm (2")

Stovax Heat Resistant Leather Gloves



STOVAX Fire Your Imagination

Code	
4008	

#### Shovel



Code	Size
4056	200mm (8")

Canvas Wood Sling



Code	
3048	

Stovax Extra Long Leather Gloves



STOVAX

Code 4027

Steel Boiler Brush



Code	Size
4232	765mm (30")

Bellows



Code	Height
3005	480mm (19")

Yeoman Heat Resistant Leather Gloves





Code YM-E00007

Smoke Pellets



Code	Quantity
4176	10 pellets

# Carbon Monoxide Detector

Easy to install & no maintenance required. Battery pre-fitted and guaranteed for 6 years



Code		
3045		


# Cleaning and maintenance products

#### Motorised Ashclean






#### Rectangular Ashpan



Code	Width (W)	Height (H)	Depth (D)
4129	383mm (15")	51mm (2")	287mm (111/4")
4130	325mm (121/4")	51mm (2")	264mm (10%")
4131	303mm (11%")	51mm (2")	194mm (7%")
4132	223mm (8¾")	51mm (2")	178mm (7")
4133	252mm (9%")	51mm (2")	159mm (6¼")
4214	338mm (131/4")	51mm (2")	232mm (91/8")
4215	268mm (10½")	51mm (2")	227mm (9")

#### Milner Ashpan



Code	Milner Size	Front Width (FW)	Back Width (BW)	Height (H)	Depth (D)
4342	16"	332mm (13")	230mm (9")	51mm (2")	178mm (7")
4343	18"	382mm (15")	255mm (10")	51mm (2")	178mm (7")

#### Ash Caddies



Code	Width (W)	Height (H)	Depth (D)
4227	382mm (15")	102mm (4")	306mm (12")
4228	446mm (17½")	102mm (4")	306mm (12")
4229	382mm (15")	102mm (4")	459mm (18")
4230	637mm (25")	127mm (5")	408mm (16")
4231	306mm (12")	178mm (7")	459mm (18")



# Cleaning and maintenance products

#### Fibreglass Insulation Tape





#### White Tape

Code	Measurements
4254	40mm x 2mm x 25m

#### Self-adhesive White Tape

Code	Measurements
4299	25mm x 3mm x 25m
4197	40mm x 2mm x 25m

#### Black Tape

Code	Measurements
4955	10mm x 2mm x 25m
4957	15mm x 2mm x 25m

#### Self-adhesive Black Tape

Code	Measurements
4953	10mm x 2mm x 25m
4954	15mm x 2mm x 25m
4997	20mm x 2mm x 25m



#### Fibreglass Rope Seal





#### Standard Rope Seal - White

Code	Measurements
4660	3mm ø x 25m
4693	5mm ø x 25m
4019	6mm ø x 25m
4970	8mm ø x 25m
4020	9mm ø x 25m
4991	10mm ø x 25m
4021	12mm ø x 25m
4094	25mm ø x 10m
4096	16mm ø x 20m

#### Standard Rope Seal - Black

Code	Measurements
4974	3mm ø x 25m
4977	6mm ø x 25m
4980	8mm ø x 25m
4994	10mm ø x 25m
4983	12mm ø x 25m
4671	16mm ø x 20m
4692	18mm ø x 20m
4672	25mm ø x 10m

#### Soft Rope Seal - White

Code	Measurements
4959	4mm ø x 25m
4961	6mm ø x 25m
4963	8mm ø x 25m
4965	10mm ø x 25m

<sup>&</sup>lt;sup>◊</sup> Square section rope \*'P' profile rope seal pack

#### Soft Rope Seal - Black

Code	Measurements
4670	14mm ø x 25m
4198	16mm ø x 25m
4200	13mm ø x 25m
4203	16mm x 10mm x 25m <sup>◊</sup>
4205	10mm x 25mm x 25m*

#### Ceramic Fibre Sealing Strip





#### White - Rolls

Code	Measurements
4093	10mm x 4mm x 10m
4471	6mm x 3mm x 10m

White - Packs

Code	Measurements
7022	10mm x 4mm x 2m
7023	6mm x 3mm 2m

#### Rope Seal Packs (Includes glue & rope seal end tape)



#### Standard Rope Seal - White

Code	Measurements
7019	3mm ø x 2m
7020	6mm ø x 2m
4971	8mm ø x 2m
7021	9mm ø x 2m
4992	10mm ø x 2m
7024	12mm ø x 2m
5001	16mm ø x 2m

#### Standard Rope Seal - Black

Code	Measurements
4975	3mm ø x 2m
4978	6mm ø x 2m
4981	8mm ø x 2m
4995	10mm ø x 2m
4984	12mm ø x 2m

#### Soft Rope Seal - White

Code	Measurements
4945	4mm ø x 2m
4946	6mm ø x 2m
4947	8mm ø x 2m
4948	10mm ø x 2m

<sup>&</sup>lt;sup>◊</sup> Square section rope

#### Soft Rope Seal - Black

	•
Code	Measurements
5000	14mm ø x 2m
5700	13mm ø x 2m
5701	16mm ø x 2m
5702	16mm x 10mm x 2.6m <sup>◊</sup>
5703	10mm x 750mm*
5704	13mm ø x 3.5m
5705	40mm x 2mm x 3.4m

#### Fibreglass Insulation Tape Pack



Black Tape

Code	Measurements
4951	10mm x 2m
4952	15mm x 2m
	10111111111111

#### Self-adhesive Black Tape

Code	Measurements
4949	10mm x 2mm x 2m
4950	15mm x 2mm x 2m
4998	20mm x 2mm x 2m

#### Thermic Seal



Code	Size & Quantity
5037	50ml x 12



### How to re-rope your door seal video

A thermal rope is used to provide a heat resistant air tight seal on the appliance doors and also is often used to provide a seal for the stove or fire glass, essential to ensure your appliance works as intended and with optimum efficiency. Stovax have created a useful step by step video to help lead you through the simple maintenance task of re-roping a door seal, simply visit www.stovax.tv and enter the video code **V0008**.

Top tip: To allow your rope adhesive time to properly cure, leave it a minimum of 12 hours before burning your appliance.



<sup>\*&#</sup>x27;P' profile rope seal pack

# Cleaning and maintenance products

# Replacement Stove Glass

We stock replacement glass for the full range of Stovax and Gazco stoves alongside a wide selection of stove glass for other branded models. Please refer to the Stovax Accessories price list for details.

5mm Ceramic Glass Panels



# Chimney Rods and Brushes

#### Uni Rod

UNI rods need adaptor 4034 and must always be rotated clockwise to avoid disconnection.



Code	Measurement
4036	915mm (36")

#### Lockfast Rod

LOCKFAST rods need adaptor 4035 and can be rotated in ether direction



Code	Measurement
4037	915mm (36")

#### Adaptors





Code	Description
4034	UNI (left)
4035	LOCKFAST (right)

#### Steel Brush Head 5 - 8"



Code	Measurements
4171	125mm (5")
4172	150mm (6")
4173	175mm (7")
4174	200mm (8")

Polypropylene Brush Head 5 - 8"



Code	Measurements
4030	125mm (5")
4031	150mm (6")
4032	175mm (7")
4033	200mm (8")

Polypropylene Brush Head - 12" & 16"



Code	Measurements
4039	305mm (12")
4038	405mm (16")
4038	405mm (16")



# Chimney systems and flue pipe accessories

#### Flue Dampers



Code	Width
3068	100mm (4")
3060	125mm (5")
3061	150mm (6")
3062	175mm (7")
3063	200mm (8")

Magnetic Flue Pipe Thermometer



Code 3046

#### Flue Collars



Code	Width
2038	125mm (5")
2039	150mm (6")
2040	175mm (7")
2041	200mm (8")

#### Louvred Vent



White










Brushed Steel

Code	Flnish	Width	Height	Ventilation Area
4234	Brass	241mm (9½")	89mm (3½")	39.7cm sq (6 <sup>3</sup> /16" sq)
5047	Polished Steel	241mm (9½")	89mm (3½")	39.7cm sq (6 <sup>3</sup> /16" sq)
5048	Brushed Steel	241mm (9½")	89mm (3½")	39.7cm sq (6 <sup>3</sup> /16" sq)
5050	White	241mm (9½")	89mm (3½")	39.7cm sq (6 <sup>3</sup> /16" sq)

Plain Vent - Brass



Code	Flnish	Width	Height	Ventilation Area
4126	Brass	241mm (9½")	89mm (3½")	49.8cm sq (7%" sq)




#### Hit and Miss Vent - Brass

Please Note: Cannot be used as an approved Document J vent.



Code	Flnish	Width	Height	Ventilation Area
4124	Brass	241mm (9½")	89mm (3½")	37.4cm sq (5¾" sq)
4125	Brass	241mm (9½")	165mm (6½")	64.5cm sq (10" sq)



Large Ripped Coals



Code	Quantity
4010	Pack of 10

Large Log





Quantity
Pack of 1

Small Ripped Coals





Code	Quantity
4012	Pack of 15

#### Medium Logs





Code	Quantity
4015	Pack of 2

#### Large Moulded Coals





Code	Quantity
5002	Pack of 10

#### Small Logs





Code	Quantity
4016	Pack of 2

#### Small Moulded Coals





Code	Quantity
5003	Pack of 15

#### Charred Logs





Code	Quantity
5011	Pack of 2

#### Large Driftwood



Code	Quantity
5010	Pack of 1

Large Pebbles - Grey





Code	Quantity	
5005	Pack of 10	

#### Medium Driftwood





Code	Quantity
5009	Pack of 1

Small Pebbles - Grey





Code	Quantity	
5007	Pack of 10	

#### Small Driftwood





Code	Quantity
5008	Pack of 3

#### Embers





Code	Quantity
4013	50g Pack

Pine Cones





Code	Quantity
5012	Pack of 2

#### Gravel -Grey





Code	Quantity
5013	200g Pack



#### Glass Straight Fire Screens\*



Code	Width	Height
GSFL22	560mm (22")	588mm (23")
GSFL26	660mm (26")	508mm (20")
GSFL30	760mm (30")	588mm (23")

<sup>\*</sup>Do not place within 300mm (12") of fire where temperature exceeds 200  $^{\circ}\mathrm{c}$ 

#### Black Steel Fire Screens



Code	Width	Height	Depth
3008	673mm	495mm	152mm
(1 handle)	(26 ½")	(19 ½")	(6")
3009	767mm	508mm	152mm
(2 handles)	(30 ¼")	(20")	(6")

#### Glass Curved Fire Screens\*



Code	Width	Height	Depth
GSCU22	570mm (22 ½")	500mm (20")	110mm (4")
GSCU26	670mm (26 1/4")	500mm (20")	150mm (6")
GSCU30	770mm (30 1/4")	500mm (20")	160mm (6 1/4")

 $<sup>^{\</sup>star}$  Do not place within 300mm (12") of fire where temperature exceeds 200  $^{\circ}\mathrm{c}$ 

#### Black Steel Fire Screens



Code	Width	Height	Depth
3019	535mm	605mm	203mm
(curved)	(21")	(23 ¾")	(8")
3020	565mm	613mm	127mm
(with handle)	(22 ¼")	(24 1/8")	(5")

# Fire screens and fenders

#### Black Steel Fire Screens



Code	Width	Height
3900	560mm (22")	610mm (24")
3901	610mm (24")	610mm (24")
3902	660mm (26")	610mm (24")
3903	710mm (28")	610mm (24")
3904	760mm (30")	660mm (26")



#### Black Steel Fire Screens



Code	Width	Height	Side Panel Width
3910	560mm (22")	610mm (24")	180mm (7")
3911	610mm (24")	610mm (24")	180mm (7")
3912	660mm (26")	610mm (24")	180mm (7")
3913	710mm (28")	610mm (24")	180mm (7")
3914	760mm (30")	660mm (26")	180mm (7")

Black Steel Fire Screens



Code	Width	Height
3920	560mm (22")	500mm (19 ½")
3921	660mm (26")	500mm (19 ½")
3922	760mm (26")	590mm (23 ½")

#### Wrought Iron Fire Screen



Code	Width	Height	Side Panel Width
5313	560mm (22")	610mm (24")	200mm (7 %")
5314	660mm (26")	610mm (24")	200mm (7 %")
5315	760mm (30")	610mm (24")	200mm (7 %")

#### Wrought Iron Fire Screen



Code	Width	Height
5311	660mm (26")	610mm (24")

#### Brass Plated Steel/Black Fire Screen



Code	Width	Height	Side Panel Width
3052	662mm (26")	622mm (24 ½")	331mm (13")
3033	331mm (13")	622mm (24 ½")	331mm (13")

#### Brass Plated Steel/Black Fire Screen



Code	Width	Height
3275	203mm (8")	546mm (21 ½")
3007	331mm (13")	826mm (32 ½")

# Fire screens and fenders

#### Black Cast Iron Trellis Fender

Code	Inner	Inner	Outer	Outer
	Width (A)	Depth (B)	Width (C)	Depth (D)
4123	1090mm	265mm	1170mm	305mm
	(43")	(10 ¾")	(46")	(12")
4319	1230mm	622mm	1320mm	405mm
	(48 ½")	(24 ½")	(52")	(16")



#### Black Cast Iron Oak Leaf Fender

Code	Inner	Inner	Outer	Outer
	Width (A)	Depth (B)	Width (C)	Depth (D)
4122	1055mm	255mm	1170mm	305mm
	(41 ½)	(10")	(46")	(12")



#### Black Cast Iron/Brass Floral Fender

Code	Inner	Inner	Outer	Outer
	Width (A)	Depth (B)	Width (C)	Depth (D)
4392	1040mm	230mm	1180mm	300mm
	(41")	(9")	(46 ½)	(11¾")



#### Highlight Polished Cast Iron/Brass Floral Fender

Code	Inner	Inner	Outer	Outer
	Width (A)	Depth (B)	Width (C)	Depth (D)
4392HP	1040mm	230mm	1180mm	300mm
	(41")	(9")	(46 ½)	(11 ¾")





# HearthGate

HearthGate - 5 piece



Code

5038-2\*

Suitable for areas 1780 x 610mm (70" x 21")


Additional pair of 610mm (24") sections



Code

5041-2\*

Additional pair of 305mm (12") sections



Code

5042-2\*

Additional pair of wall fittings



5040B-2\*

\*Please note: The design of the HearthGate has been updated and is not compatible with earlier versions







### Traditional fire tools and sets

Four Piece Square Top Wrought Iron Tool Set



Code Height 5300 724mm (281/2")

Four Piece Ball & Twist Top Wrought Iron Tool Set



Code Height 5302 724mm (28½")

Four Tool Wrought Iron Bracket



Code	Width	Height
5303	390mm (15%")	120mm (4¾")

Ring Top Wrought Iron Fire Dog - Pair



Co	ode	Width	Height	Depth
53	05	250mm (9 %")	430mm (16 %")	230mm (9")

Four Piece Wrought Iron With Wood Handle Tool Set



Code Height
5018 790mm (31")

Wrought Iron Match Box Holder



Suitable for match boxes sized: 235 x 90 x 30mm (L x W x D)

Code	Height
5028	255mm (10")

Ring Top Wrought Iron Tool Set



Four Piece Brass Tool Sets



Code	Height
4241	450mm (17 ¾")
4242	520mm (20 ½")

Coal Tongs



 Code
 Length

 4053
 300mm (11 ¾")

Four Piece Brass Tool Set



Code	Height
5218	686mm (27")

Two Piece Cast Iron Brush & Shovel Set




Code Length
3297 295mm (11 5%")

Four Piece Black & Brass Tool Sets



Code	Height
5217	545mm (21 ½")

Three Piece Cast Iron & Steel Tool Set



Code	Height
3042	778mm (30 ½")

Three Piece Cast Iron & Steel Tool Set



Code	Height
3256	483mm (19")

# Contemporary fire tools and sets











Straight Stand & Three Piece Toolset



Stand Only

Code	Width	Height	Depth
5461	205mm (8½16")	675mm (26 %16")	

#### Stand with 3 piece tool set

Code	Width	Height	Depth
5466	205mm (8½16")	675mm (26 %16")	

Bevelled Stand & Three Piece Toolset



Stand Only

Code	Width	Height	Depth
5460		675mm (26 %16")	

#### Stand with 3 piece tool set

Code	Width	Height	Depth
5465	205mm (8½16")	675mm (26 %16")	

4 Pin Wall Bracket



Code	Width	Height
5464	340mm (13 %")	50mm (2")

3 Pin Wall Bracket



Code	Width	Height
5463	255mm (10 ½6")	50mm (2")

2 Pin Wall Bracket



Code	Width	Height
5462	170mm (10 <sup>11</sup> / <sub>16</sub> ")	50mm (2")



# Ironworks fire tools and sets

#### Small Log Holder



Code	Width	Height	Depth
5516	365mm (14 1/4")	395mm (15 ½")	365mm (14 1/4")

#### Medium Log Holder



Code	Width	Height	Depth
5518	365mm (14 1/4")	495mm (19 ½")	365mm (14 1/4")



Four Piece 29" Loop Tool Set



Code	Height
5514	735mm (29")

Four Piece 32" Ring Tool Set



Code	Width	Height	Depth
5515	335mm	815mm	190mm
	(13 ¼")	(32")	(7 ½")







Tongs	
Code	Height
5524	457mm (18")
5529	660mm (26")



 Code
 Height

 5521
 457mm (18")

 5526
 660mm (26")



 Standard Brushes

 Code
 Height

 5522
 457mm (18")

 5527
 660mm (26")



Rustic Brush
Code Height
5541 660mm (26")

Code	18" Tool Set Contents
5520	5521 + 5522 + 5523 + 5524

Code	26" Tool Set Contents
5525	5526 + 5527 + 5528 + 5529
5525B	5526 + 5528 + 5529 + 5541

#### Ring Handle Tools and Sets



Shovels	
Code	Height
5533	457mm (18")
5538	660mm (26")



 Code
 Height

 5539
 660mm (26")



 Code
 Height

 5531
 457mm (18")

 5536
 660mm (26")



 Code
 Height

 5532
 457mm (18")

 5537
 660mm (26")



nustic brusiles	
Code	Height
5542	457mm (18")
5543	660mm (26")

Code	26" Tool Set Contents	
5535	5536 + 5537 + 5538 + 5539	
5535B	5536 + 5538 + 5539 + 5543	

# Pilgrim fire tools and sets

Stovax are proud to be the exclusive distributor for Pilgrim Hearth Tools for the UK and Republic of Ireland. Pilgrim is the leading manufacturer of quality Fireplace Accessories in the USA, and this collection, wrought from solid steel and iron, clearly demonstrates the quality of craftsmanship that is synonymous with Pilgrim accessories. In addition, an exceptional 2 year warranty is offered on all products within the Pilgrim collection.



#### Fire Screen and Tools




Code	Width	Height	Depth
5604	1219mm (48")	813mm (32")	229mm (9")

#### Portfolio Bowed Fire Screen



Code	Width	Height	Depth
5603	991mm (39")	787mm ( 31")	165mm (6½")

#### Forged Iron Fire Screen



Code	Width	Height
5600	991mm (39")	787mm (31")

#### Craftsmen Fire Screen



Code	Width	Height
5601	991mm (39")	787mm (31")

Craftsmen Hearth Centre



Code Size (w x h x d)

368 x 737 x 330mm (14½ x 29 x 13") 5624

Craftsmen Wood Holder



Cada	C: / / /	/ x h x d)
Code	SIZETN	/ X II X (1)

356 x 406 x 356mm 5620 (14 x 16 x 14")

Folder Log Carrier



Code Size (w x h x d)

610 x 483 x 381mm 5619 (24 x 19 x 15")

Colonial Andirons



Code Size (w x h x d)

279 x 432 x 356mm  $(11 \times 17 \times 14")$ 

Four Piece Craftsmen



Tool Set (31")



Code	Height
5607	787mm (31")

Vintage Iron Single Tools (30")



Code		Height
5610	Brush	762mm (30")
5613	Tong	762mm (30")
5611	Poker	762mm (30")
5612	Shovel	762mm (30")

# Log holders

#### Black Log Holders

Code	Width	Height	Depth
3404 (Highline)	300mm (12")	1000mm (39 %")	300mm (12")
3403 (Medium)	300mm (12")	750mm (29 ½")	300mm (12")
3402 (Small)	300mm (12")	500mm (19 %")	300mm (12")

#### Black Log Holders with Wheels

Code	Width	Height	Depth
3404WL (Highline)	443mm (17 ½")	1018mm (40")	439mm (17 1/4")
3403WL (Medium)	443mm (17 ½")	768mm (30 1/4")	439mm (17 1/4")
3402WL (Small)	443mm (17 ½")	518mm (20 3/8")	439mm (17 1/4")

3408 - Wheel Kit option for Black Log Holders



3402WL - Small Log



3403WL - Medium Log holder with wheels



3404 - Highline Log holder without wheels

#### Curved Black Log Holder - Small



Code	Width	Height	Depth
3400	444mm (17 ½")	209mm (8 1/4")	300mm (12")

#### Curved Black Log Holder - Large



Code	Width	Height	Depth
3405	888mm (34 %")	209mm (8 1/4")	300mm (12")



#### Radius Black Log Holder - Small



Code	Width	Height	Depth
3406	658mm (25 %")	118mm (4 %")	420mm (6 ½")

#### Triangular Black Log Holder



Code	Width	Height	Depth
3401	424mm (16 %")	242mm (9 ½")	300mm (12")

#### Round Log Basket



Code	Width	Height
4052	520mm (20 ½")	356mm (14")

#### Radius Black Log Holder - Large



Code	Width	Height	Depth
3407	900mm (35 ½6")	118mm (4 %")	420mm (6 ½")

#### Wrought Iron Log Holder



Code	Width	Height	Depth
5308	873mm (34 %")	665mm (26 1/8")	400mm (15 ¾")



### Scuttles and pails

Large Black Pail



Code	Width	Height
5210	460mm (18 1/8")	335mm (13 1/8")

Black/Brass Pail



Code	Width	Height
4051	280mm (11")	256mm (10")

Black/Brass Scuttle



Code	Width	Height
4049	287mm (11 ¼")	306mm (12")

Small Brass Pail



Code	Width	Height
5205	430mm (16 %")	305mm (12")

Small Copper Pail



Code	Width	Height
5206	430mm (16 %")	305mm (12")

Brass Hod



Code	Width	Height
4046	178mm (7")	535mm (21")

Large Brass Pail



Code	Width	Height
5208	460mm (18 1/8")	335mm (13 1/8")

Medium Copper Scuttle



Code	Width	Height
5227	285mm (11 ¼")	243mm (9 ½")

# Fire backs and grates

#### Reeded Panels



#### Set of 3 Panels

Code	Width	Height	Side Panel Width
4117	760mm (30")	915mm (36")	405mm (16")
4139	760mm (30")	915mm (36")	455mm (18")
4118	815mm (32")	965mm (38")	405mm (16")
4119	815mm (32")	965mm (38")	455mm (18")

#### Single Panels

Code	Width	Height
4154	760mm (30")	915mm (36")
4140	815mm (32")	965mm (38")
4155	405mm (16")	915mm (36")
4156	455mm (18")	915mm (36")
4141	405mm (16")	965mm (38")
4142	142 455mm (18") 965mm (38")	

#### Single Panel with 560mm (h) x 410mm (w) cut out

Code	Width	Height	
8900	940mm (37")	940mm (37")	

#### Adam Panels



#### Set of 3 Panels

Code	Width	Height	Side Panel Width
4116	760mm (30")	915mm (36")	405mm (16")

#### Single Panels

Code	Width	Height	
4152	760mm (30")	915mm (36")	
4153	405mm (16")	915mm (36")	

# Fire backs and grates

#### Stool Grates



Code	GW	GD
4403	385mm (15 ¼")	273mm (1034")


Code	GW	GD	
4404	420mm (16 ½")	273mm (103/4")	

#### Milner Grates



Code	GW	GD
4368	385mm (15 ¼")	260mm (10 1/4")

Code	GW	GD
4908	385mm (15 ¼")	244mm (9 5/8")



#### Victorian (no grate) - Matt Black



Code	W	DF	
3217NG	546mm (21 ½")	133mm (5 1/4")	

#### Victorian with grate - Matt Black



Code	W	D	GW	GD
3217	546mm	210mm	410mm	140mm
	(21 ½")	(8 ¼")	(16 1/8")	(5 ½")

#### Spanish - Polished



Code	Width	Height	Depth
3056 (Small)	447mm (17%")	235mm (91/4")	318mm (12½")
3057 (Large)	525mm (20 ¾")	235mm (91/4")	369mm (14½")


Accessories			
Ashpan	Small 4130	Large 4129	
Ashpan Cover	Small <b>3156</b>	Large <b>3157</b>	

#### Spanish - Matt Black



Code	Width	Height	Depth
3058 (Small)	447mm (17%")	235mm (91/4")	318mm (12½")
3059 (Large)	525mm (20 ¾")	235mm (91/4")	369mm (14½")

Accessories		
Ashpan	Small 4130	Large 4129
Ashpan Cover	Small <b>3156</b>	Large 3157



#### Amhurst



Code	Width	Height	Depth
Matt Black			
B.77715 (15")	395mm (15½")	305mm (12")	280mm (11")
Highlight Polish		205mm (10")	280mm (11")
B.77715P (15") B.77718P (18")	520mm (20½")	305mm (12") 395mm (15½")	330mm (13")

Accessories		
Ashpan	15" SPAN15	18" <b>SPAN18</b>
Ashpan Cover	15" SPACPAD15	18" SPACPAD





Code	Width	Height	Depth	
Matt Black				
B.75415 (15")	395mm (15½")	330mm (13")	275mm (10%")	
B.75418 (18")	520mm (20½")	330mm (13")	280mm (11")	
Highlight Polish B.75415P (15")	ed 395mm (15½")	330mm (13")	275mm (10%")	
B.75418P (18")	520mm (20½")	330mm (13")	280mm (11")	

Accessories		
Ashpan	15" <b>SPAN15</b>	18" <b>SPAN18</b>
Ashpan Cover	15" SPACPAM15	18" SPACPAM



#### Milan



Code	Width	Height	Depth
Polished			
B.75515P* (15")	601mm (23%")	305mm (12")	378mm (14%")
B.75518P* (18")	727mm (28%")	305mm (12")	378mm (14%")

	, , , , , , , , ,	
Accessories		
Ashpan	15" <b>SPAN15</b>	18" <b>SPAN18</b>

\*Ashpan cover included

# Fire backs and grates

#### Riva



Code	Width	Height	Depth
8686 (16")	325mm (12¾")	174mm (6%")	269mm (10½")
8687 (22")	480mm (18%")	184mm (71/4")	269mm (10½")
8688 (26")	580mm (22%")	184mm (71/4")	269mm (10½")

#### Adam



Code	Width	Height	Depth	
Odde	Widaii	Height	Вория	
Matt Black				
3148	430mm (17")	440mm (171/4")	285mm (111/4")	
Highlight Polished				
3149	430mm (17")	440mm (171/4")	285mm (111/4")	
Accessories				
Ashpan 4214	Ashpan Cov	ver 3153		



#### Cromwell



Code	Width	Height	Depth
3056 (Small)	390mm (15%")	150mm (6")	250mm (9¾")
3057 (Large)	485mm (191/4")	150mm (6")	280mm (11")
Accessories			
Ashpan	Small 4132	Larg	ge 4131

#### Pub Scene



Code	Width	Height	Depth
Matt Black			
3150	430mm (17")	455mm (18")	285mm (111/4")
Highlight Polis	shed		
3151	430mm (17")	455mm (18")	285mm (111/4")
Accessories			
Ashpan 4214	Ashpan Cover 3153		

#### Plymouth



Code	Width	Height	Depth
Matt Black			
3146	430mm (17")	440mm (171/4")	285mm (111/4")
Highlight Polis	shed		
3147	430mm (17")	440mm (171/4")	285mm (111/4")
Accessories			
Ashpan 4214	Ashpan Cov	/er 3153	

#### Ball Top Wrought Iron Andiron Set



Code	Width	Height	Depth
5307	225mm (8%")	300mm (11%")	400mm (15¾")



#### Square Top Wrought Iron Andiron Set



Code	Width	Height	Depth
5306	225mm (8%")	300mm (11%")	400mm (15¾")

#### Georgian Brass Andiron Set



Code	Width	Height	Depth
3138	254mm (10")	375mm (14¾")	457mm (18")

#### Swan's Nest - grate only



Swans Nest fire grate shown with Georgian Brass Andiron Set

Code	Width	Depth
4113 (18")	457mm (18")	305mm (12")
4114 (24")	610mm (24")	356mm (14")
4115 (36")	918mm (36 1/8")	420mm (16½")



# Exclusive Fireplace Tiles Surrounds

A bespoke collection of Porcelain and Natural Stone tiles to enhance and complement your Stovax fire.

The space in which you live is an expression of your individual style - and at the very heart of your home is the fireplace. It is a focal point that not only extends the warmest of welcomes to your family and friends, and the one around which they will gather naturally, but it also offers you the opportunity to make a design statement that marks out the room even when the fire is not lit.

Many of Stovax's contemporary fires, are designed to fit into an existing chimney breast or specially built studwork structure. Accordingly, the wall itself can be used to enhance still further the impressive appliance you have already chosen. This unique collection of 34 porcelain and natural stone tiles has been carefully selected to help you create your ultimate look. Please ask your Stovax retailer for details or download the complete brochure from www.stovax.com.









# Traditional Slate Hearth Tiles



#### Riven slate tiles

Slate is very much a traditional hearth material. Stovax's Riven  $8'' \times 4''$  (203 x 102mm) Welsh slate tiles are hand split along the natural fault lines of the slate to produce a rustic look and reveal the natural blue, green and grey tints of the stone. Being fashioned in this way, the thickness varies from tile to tile but the average is 1/4'' (6mm).



4095 Box of 20 Riven Slate Tiles.

#### Polished slate tiles

Machine cut to a uniform size, with one side polished, these are a more sophisticated alternative to the Riven type. Their colour is deep blue-black, and the polished surface can provide an attractive, reflective effect. The size of these tiles is  $8" \times 4" \times 3/8"$  (203 × 102 × 9mm).



4257 Box of 20 Polished Slate Tiles.





Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, England EX2 7LF

Trade Sales Tel: 01392 474000 • Export Sales Tel: 00 44 1392 261990 • Other Depts Tel: 01392 474011

Fax: 01392 219932 • Export Fax: 00 44 1392 261974

Email: info@stovax.com • www.stovax.com













To view or download our complete range of brochures, simply scan this code or visit www.stovax.com